

```

KatPermissionsSoap.wsdl
<?xml version='1.0' encoding='UTF-8'?><wsdl:definitions
name="KatPermissionsSoapService"
targetNamespace="http://soap.webservices.kat.lms.dk/19/04/2012/"
xmlns:ns1="http://schemas.xmlsoap.org/soap/http"
xmlns:soap="http://schemas.xmlsoap.org/wsdl/soap/"
xmlns:tns="http://soap.webservices.kat.lms.dk/19/04/2012/"
xmlns:wsdl="http://schemas.xmlsoap.org/wsdl/"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
  <wsdl:types>
    <xs:schema elementFormDefault="unqualified"
targetNamespace="http://soap.webservices.kat.lms.dk/19/04/2012/" version="1.0"
xmlns:ns1="http://schemas.xmlsoap.org/soap/http"
xmlns:soap="http://schemas.xmlsoap.org/wsdl/soap/"
xmlns:tns="http://soap.webservices.kat.lms.dk/19/04/2012/"
xmlns:wsdl="http://schemas.xmlsoap.org/wsdl/"
xmlns:xs="http://www.w3.org/2001/XMLSchema"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
      <xs:element name="findOrganisationByOrganisationCode"
type="tns:findOrganisationByOrganisationCode" />
      <xs:element
name="findOrganisationByOrganisationCodeResponse"
type="tns:findOrganisationByOrganisationCodeResponse" />
      <xs:element name="findPermissionByOrganisationCode"
type="tns:findPermissionByOrganisationCode" />
      <xs:element
name="findPermissionByOrganisationCodeResponse"
type="tns:findPermissionByOrganisationCodeResponse" />
      <xs:complexType name="findPermissionByOrganisationCode">
        <xs:sequence>
          <xs:element minOccurs="0"
name="permissionType" type="tns:permissionTypeMapper" />
          <xs:element maxOccurs="unbounded"
minOccurs="0" name="organisationCode" type="xs:int" />
        </xs:sequence>
      </xs:complexType>
      <xs:complexType
name="findPermissionByOrganisationCodeResponse">
        <xs:sequence>
          <xs:element maxOccurs="unbounded"
minOccurs="0" name="permission" type="tns:organisationProcess" />
        </xs:sequence>
      </xs:complexType>
      <xs:complexType name="organisationProcess">
        <xs:sequence>
          <xs:element minOccurs="0"
name="applicationDate" type="xs:dateTime" />
          <xs:element minOccurs="0"
name="authorizationNumber" type="xs:int" />
          <xs:element minOccurs="0"
name="clockStopComment" type="xs:string" />
          <xs:element minOccurs="0"
name="clockStopFromDate" type="xs:dateTime" />
          <xs:element minOccurs="0"
name="clockStopToDate" type="xs:dateTime" />
          <xs:element minOccurs="0" name="comment"
type="xs:string" />
          <xs:element minOccurs="0"
name="copiedFromOrganisation" type="xs:string" />
          <xs:element minOccurs="0"
name="copiedFromOrganisationId" type="xs:int" />
          <xs:element minOccurs="0"
name="createdBy" type="xs:string" />
          <xs:element minOccurs="0"
name="createdBySystem" type="xs:string" />
          <xs:element minOccurs="0"
name="deactivatedDate" type="xs:dateTime" />
          <xs:element minOccurs="0"
name="decisionDate" type="xs:dateTime" />
        </xs:sequence>
      </xs:complexType>
    </xs:schema>
  </wsdl:types>
</wsdl:definitions>
Side

```

```

KatPermissionsSoap.wsd1
type="xs:string" />
name="inspectionFee" type="xs:short" />
name="inspectorId" type="xs:int" />
name="isHumaneDrugProducer" type="xs:boolean" />
name="isLocked" type="xs:boolean" />
name="isMostRecentInGroup" type="xs:boolean" />
name="isPenicilliumProducer" type="xs:boolean" />
type="xs:boolean" />
name="isVeterinaryDrugProducer" type="xs:boolean" />
name="journalNumber" type="xs:string" />
name="lockedOrganisationData" type="xs:string" />
name="ninetyDay" type="xs:short" />
type="xs:string" />
name="organisation" type="tns:organisation" />
name="organisationProcessGroupId" type="xs:int" />
name="organisationProcessId" type="xs:int" />
name="organisationProcessState" type="tns:organisationProcessState" />
name="organisationProcessVid" type="xs:int" />
minOccurs="0" name="permissions" nillable="true" type="tns:activityPermission" />
name="processType" type="tns:processType" />
name="renewDate" type="xs:dateTime" />
name="signingInspectorId" type="xs:int" />
name="thirtyDay" type="xs:short" />
name="transferDate" type="xs:dateTime" />
name="untilDate" type="xs:dateTime" />
name="validFrom" type="xs:dateTime" />
type="xs:dateTime" />
</xs:sequence>
</xs:complexType>
<xs:complexType name="organisation">
  <xs:sequence>
    type="tns:address" />
    minOccurs="0" name="childOrganisations" nillable="true" type="tns:organisation" />
    name="closeddate" type="xs:dateTime" />
    name="createdby" type="xs:string" />
  </xs:sequence>
</xs:complexType>
Side

```


KatPermissionsSoap.wsd1

```

name="createdby" type="xs:string" />
name="createdbysystem" type="xs:string" />
type="xs:string" />
name="postcode" type="tns:postcode" />
name="postcodetext" type="xs:string" />
name="validfrom" type="xs:dateTime" />
type="xs:dateTime" />
</xs:sequence>
</xs:complexType>
<xs:complexType name="country">
  <xs:sequence>
    <xs:element minOccurs="0"
name="countrycode2an" type="xs:string" />
    <xs:element minOccurs="0"
name="countrycode3an" type="xs:string" />
    <xs:element minOccurs="0"
name="countrycode3n" type="xs:decimal" />
    <xs:element minOccurs="0"
name="countryid" type="xs:int" />
    <xs:element minOccurs="0"
name="countrytextdk" type="xs:string" />
    <xs:element minOccurs="0"
name="countrytexten" type="xs:string" />
    <xs:element minOccurs="0"
name="countryvid" type="xs:int" />
    <xs:element minOccurs="0"
name="createdby" type="xs:string" />
    <xs:element minOccurs="0"
name="createdbysystem" type="xs:string" />
    <xs:element minOccurs="0"
name="isactive" type="xs:short" />
    <xs:element minOccurs="0"
name="iseeamember" type="xs:short" />
    <xs:element minOccurs="0"
name="iseumember" type="xs:short" />
    <xs:element minOccurs="0"
name="ismramember" type="xs:short" />
    <xs:element minOccurs="0"
name="ispecamember" type="xs:short" />
    <xs:element minOccurs="0"
name="phoneprefix" type="xs:string" />
    <xs:element minOccurs="0"
name="validfrom" type="xs:dateTime" />
    <xs:element minOccurs="0" name="validto"
type="xs:dateTime" />
  </xs:sequence>
</xs:complexType>
<xs:complexType name="postcode">
  <xs:sequence>
    <xs:element minOccurs="0" name="city"
type="xs:string" />
    <xs:element minOccurs="0" name="country"
type="tns:country" />
    <xs:element minOccurs="0"
name="createdby" type="xs:string" />
    <xs:element minOccurs="0"
name="createdbysystem" type="xs:string" />
    <xs:element minOccurs="0"
name="isactive" type="xs:short" />
    <xs:element minOccurs="0"
name="postcode" type="xs:string" />
    <xs:element minOccurs="0"

```

```

KatPermissionsSoap.wsd1
name="postcodeid" type="xs:int" />
name="postcodevid" type="xs:int" />
name="validfrom" type="xs:dateTime" />
type="xs:dateTime" />
</xs:sequence>
</xs:complexType>
<xs:complexType name="organisationtype">
  <xs:sequence>
    <xs:element minOccurs="0"
name="createdby" type="xs:string" />
    <xs:element minOccurs="0"
name="createdbysystem" type="xs:string" />
    <xs:element minOccurs="0"
name="generalorganisationtypeid" type="xs:int" />
    <xs:element minOccurs="0"
name="isactive" type="xs:short" />
    <xs:element minOccurs="0"
name="organisationtypecode" type="xs:string" />
    <xs:element minOccurs="0"
name="organisationtypeid" type="xs:int" />
    <xs:element minOccurs="0"
name="organisationtypetextdk" type="xs:string" />
    <xs:element minOccurs="0"
name="organisationtypetexten" type="xs:string" />
    <xs:element minOccurs="0"
name="organisationtypevid" type="xs:int" />
    <xs:element minOccurs="0"
name="validfrom" type="xs:dateTime" />
    <xs:element minOccurs="0" name="validto"
type="xs:dateTime" />
  </xs:sequence>
</xs:complexType>
<xs:complexType name="organisationProcessState">
  <xs:sequence>
    <xs:element minOccurs="0" name="active"
type="xs:boolean" />
    <xs:element minOccurs="0"
name="createdBySystem" type="xs:string" />
    <xs:element minOccurs="0"
name="createdby" type="xs:string" />
    <xs:element minOccurs="0"
name="organisationProcessRegsituationCode" type="xs:string" />
    <xs:element minOccurs="0"
name="organisationProcessRegsituationId" type="xs:int" />
    <xs:element minOccurs="0"
name="organisationProcessRegsituationTextDK" type="xs:string" />
    <xs:element minOccurs="0"
name="organisationProcessRegsituationTextEN" type="xs:string" />
    <xs:element minOccurs="0"
name="organisationProcessRegsituationVid" type="xs:int" />
    <xs:element minOccurs="0"
name="validFrom" type="xs:dateTime" />
    <xs:element minOccurs="0" name="validTo"
type="xs:dateTime" />
  </xs:sequence>
</xs:complexType>
<xs:complexType name="activityPermission">
  <xs:sequence>
    <xs:element minOccurs="0"
name="activityPermissionState" type="tns:activityPermissionState" />
    <xs:element minOccurs="0"
name="activityType" type="tns:activityType" />
    <xs:element minOccurs="0"
name="changeDate" type="xs:dateTime" />
    <xs:element minOccurs="0" name="comment"
type="xs:string" />
  </xs:sequence>
</xs:complexType>
Side

```

KatPermissionsSoap.wsd1

```

type="xs:string" />
name="createdBy" type="xs:string" />
name="createdBySystem" type="xs:string" />
name="emeaActivityId" type="xs:int" />
name="permissionId" type="xs:int" />
name="permissionVid" type="xs:int" />
name="productDetailTypeId" type="xs:int" />
name="productTypeId" type="xs:int" />
name="specialProductId" type="xs:int" />
name="validFrom" type="xs:dateTime" />
type="xs:dateTime" />
<xs:element minOccurs="0"
<xs:element minOccurs="0" name="validTo"
</xs:sequence>
</xs:complexType>
<xs:complexType name="activityPermissionState">
<xs:sequence>
<xs:element minOccurs="0" name="active"
type="xs:boolean" />
name="createdBy" type="xs:string" />
name="createdBySystem" type="xs:string" />
name="permissionRegsituationCode" type="xs:int" />
name="permissionRegsituationId" type="xs:int" />
name="permissionRegsituationTextDK" type="xs:string" />
name="permissionRegsituationTextEN" type="xs:string" />
name="permissionRegsituationVid" type="xs:int" />
name="validFrom" type="xs:dateTime" />
type="xs:dateTime" />
<xs:element minOccurs="0" name="validTo"
</xs:sequence>
</xs:complexType>
<xs:complexType name="activityType">
<xs:sequence>
<xs:element minOccurs="0" name="active"
type="xs:boolean" />
name="activityTypeCode" type="xs:string" />
name="activityTypeId" type="xs:int" />
name="activityTypeShortTextDK" type="xs:string" />
name="activityTypeShortTextEN" type="xs:string" />
name="activityTypeTextDK" type="xs:string" />
name="activityTypeTextEN" type="xs:string" />
name="activityTypeVid" type="xs:int" />
name="createdBy" type="xs:string" />
<xs:element minOccurs="0"
Side

```

```

        KatPermissionsSoap.wsd1
name="createdBySystem" type="xs:string" />
name="validFrom" type="xs:dateTime" />
type="xs:dateTime" />
        </xs:sequence>
    </xs:complexType>
    <xs:complexType name="processtype">
        <xs:sequence>
            <xs:element minOccurs="0" name="active"
type="xs:boolean" />
            <xs:element minOccurs="0"
name="createdBy" type="xs:string" />
            <xs:element minOccurs="0"
name="createdBySystem" type="xs:string" />
            <xs:element minOccurs="0"
name="processtypeCode" type="xs:string" />
            <xs:element minOccurs="0"
name="processtypeId" type="xs:int" />
            <xs:element minOccurs="0"
name="processtypeShortTextDK" type="xs:string" />
            <xs:element minOccurs="0"
name="processtypeShortTextEN" type="xs:string" />
            <xs:element minOccurs="0"
name="processtypeTextDK" type="xs:string" />
            <xs:element minOccurs="0"
name="processtypeTextEN" type="xs:string" />
            <xs:element minOccurs="0"
name="processtypevid" type="xs:int" />
            <xs:element minOccurs="0"
name="validFrom" type="xs:dateTime" />
            <xs:element minOccurs="0" name="validTo"
type="xs:dateTime" />
        </xs:sequence>
    </xs:complexType>
    <xs:complexType
name="findOrganisationByOrganisationCode">
        <xs:sequence>
            <xs:element minOccurs="0"
name="organisationCode" type="xs:string" />
        </xs:sequence>
    </xs:complexType>
    <xs:complexType
name="findOrganisationByOrganisationCodeResponse">
        <xs:sequence>
            <xs:element minOccurs="0" name="return"
type="tns:organisation" />
        </xs:sequence>
    </xs:complexType>
    <xs:simpleType name="permissionTypeMapper">
        <xs:restriction base="xs:string">
            <xs:enumeration value="DD" />
            <xs:enumeration value="LP" />
            <xs:enumeration value="EN" />
            <xs:enumeration value="EU" />
            <xs:enumeration value="DF" />
            <xs:enumeration value="FR" />
        </xs:restriction>
    </xs:simpleType>
</xs:schema>
</wsdl:types>
<wsdl:message name="findOrganisationByOrganisationCode">
    <wsdl:part element="tns:findOrganisationByOrganisationCode"
name="parameters">
    </wsdl:part>
</wsdl:message>
<wsdl:message name="findPermissionByOrganisationCodeResponse">
    <wsdl:part element="tns:findPermissionByOrganisationCodeResponse"

```

KatPermissionsSoap.wsdl

```

name="parameters">
  </wsdl:part>
</wsdl:message>
<wsdl:message name="findPermissionByOrganisationCode">
  <wsdl:part element="tns:findPermissionByOrganisationCode" name="parameters">
    </wsdl:part>
  </wsdl:message>
<wsdl:message name="findOrganisationByOrganisationCodeResponse">
  <wsdl:part element="tns:findOrganisationByOrganisationCodeResponse"
name="parameters">
    </wsdl:part>
  </wsdl:message>
<wsdl:portType name="KatPermissionsSoap">
  <wsdl:operation name="findPermissionByOrganisationCode">
    <wsdl:input message="tns:findPermissionByOrganisationCode"
name="findPermissionByOrganisationCode">
      </wsdl:input>
    <wsdl:output message="tns:findPermissionByOrganisationCodeResponse"
name="findPermissionByOrganisationCodeResponse">
      </wsdl:output>
    </wsdl:operation>
    <wsdl:operation name="findOrganisationByOrganisationCode">
    <wsdl:input message="tns:findOrganisationByOrganisationCode"
name="findOrganisationByOrganisationCode">
      </wsdl:input>
    <wsdl:output message="tns:findOrganisationByOrganisationCodeResponse"
name="findOrganisationByOrganisationCodeResponse">
      </wsdl:output>
    </wsdl:operation>
  </wsdl:portType>
  <wsdl:binding name="KatPermissionsSoapServiceSoapBinding"
type="tns:KatPermissionsSoap">
    <soap:binding style="document"
transport="http://schemas.xmlsoap.org/soap/http" />
    <wsdl:operation name="findPermissionByOrganisationCode">
      <soap:operation soapAction="" style="document" />
      <wsdl:input name="findPermissionByOrganisationCode">
        <soap:body use="literal" />
      </wsdl:input>
      <wsdl:output name="findPermissionByOrganisationCodeResponse">
        <soap:body use="literal" />
      </wsdl:output>
    </wsdl:operation>
    <wsdl:operation name="findOrganisationByOrganisationCode">
      <soap:operation soapAction="" style="document" />
      <wsdl:input name="findOrganisationByOrganisationCode">
        <soap:body use="literal" />
      </wsdl:input>
      <wsdl:output name="findOrganisationByOrganisationCodeResponse">
        <soap:body use="literal" />
      </wsdl:output>
    </wsdl:operation>
  </wsdl:binding>
<wsdl:service name="KatPermissionsSoapService">
  <wsdl:port binding="tns:KatPermissionsSoapServiceSoapBinding"
name="KatPermissionsSoapPort">
    <soap:address location="" />
  </wsdl:port>
</wsdl:service>
</wsdl:definitions>

```